

Product	Couleur exp. Side	Code exp. Side	Scan exp. side <small>(Pictures may differ from actual products)</small>	Scan room side <small>(Pictures may differ from actual products)</small>	OF (%)	Em. (%)	Solar			
							RS %	AS %	TS %	RS IR e
Soltis Touch 3%	Carrare	50937		Same	3	90	55	37	8	NC
Soltis Touch 3%	Fusain	50940		Same	3	90	34	49	17	NC
Soltis Touch 3%	Gris agate	50945		Same	3	90	46	48	6	NC
Soltis Touch 3%	Silex	50946		Same	3	90	45	49	6	NC
Soltis Touch 3%	Tanin	50948		Same	3	90	15	80	5	NC
Soltis Touch 3%	Ficelle	50957		Same	3	90	35	59	6	NC
Soltis Touch 3%	Biscuit	50960		Same	3	90	26	69	5	NC
Soltis Touch 3%	Jasmin	50982		Same	3	90	75	11	14	NC

Light					
TVnh %	TVnn %	TV ndiff (%)	Tvdiffh (%)	RVnh %	AVnh %
7,0	4,0	3,0	5,6	62,0	31,0
4,0	3,0	1,0	3,1	9,0	87,0
5,0	3,0	2,0	4,0	51,0	44,0
6,0	4,0	2,0	4,7	51,0	43,0
5,0	4,0	1,0	3,8	15,0	80,0
5,0	4,0	1,0	3,8	38,0	57,0
4,0	3,0	1,0	3,1	28,0	68,0
12,0	3,0	9,0	10,2	83,0	5,0

Glazing C	
Gtotl ISO52022-1 Glazing C	Gtotl ISO52022-3 Glazing C
0,39	0,31
0,46	0,51
0,42	0,35
0,42	0,35
0,52	0,49
0,45	0,4
0,48	0,44
0,33	0,22

Glazing D	
Gtotl ISO52022-1 Glazing D	Gtotl ISO52022-3 Glazing D
0,26	0,15
0,28	0,28
0,27	0,18
0,27	0,18
0,30	0,27
0,28	0,21
0,29	0,24
0,24	0,1

EN 14501 Classes					
14501 Class Opacity	14501 Class Glare control	14501 Class Night privacy	14501 Class View through	14501 Class Natural light	
	1		2		1
	3		2		1
	3		2		1
	1		2		1
	1		2		1
	1		2		1
	3		2		1
	1		2		1
	1		1		2