


Insectscreen



INSECTSCREEN



block sunlight & insects

block



new collection

creativity

innovation



For several years now, Copaco has been ranked among the top players in the sun protection and insectscreen market.

Copaco has over the last years established a particular high quality threshold.

Our new 'collection 2015-2018' represents a great opportunity to showcase excellence yet again in the sun- and insectscreen world.

This catalogue will provide a powerful tool to illustrate our complete standard range, made to the highest European regulations.

The collection is divided over seven design themes that characterise the total collection.

First the fabric strikes the attention, then the colour creates a special accent.

That is in the end what Copaco is all about: creativity and innovation.

I would like to thank all the customers, agents and the whole Copaco-team who have supported our new approach and without whose support the successful collection would not have been possible.

Marc Vervisch
President





INSECTSCREEN

Insectscreen



block

block sunlight & insects





Sample





Insectscreen

Colours & references



Insectscreen				60 cm	70 cm	80 cm	90 cm	100 cm	120 cm	130 cm	140 cm	150 cm	160 cm	170 cm	180 cm	200 cm	220 cm	240 cm	260 cm	280 cm
	colour	density	length																	
DIY	grey	variabel	30 lm	•	•	•	•	•	•		•	•	•		•	•	•	•	•	•
			90 lm	•	•	•	•	•	•		•	•								
Stiff (RI)	grey	18x16	90 lm					•	•		•	•	•	•	•	•	•	•	•	•
	black												•		•				•	
Soft (QI)	grey	18x16	90 lm			•	•	•	•		•						•	•		
	black					•	•	•	•				•							

Free use of our database

Free sample material → ask for it now!

Discover our latest collections on

www.copaco.be

INSECTSCREEN



block

block sunlight & insects

Insectscreen

Technical specifications

TECHNICAL SPECIFICATION	UNITY	RESULT
composition		fabric or plastified glassfibre
weight	g/m ²	18x16 ca. 120 g ± 10% - glassfibre 36% - PVC 64%
thickness	mm	ca. 0,28 mm ± 0,05
density yarn	yarn/inch	warp + weft 18x16
roll length		30 m - 90 m
cleaning		with soapy water
confection		by heat, high frequency or ultrasonic welding

These properties are given as indicative and don't have any contractual value



Need a calculation of the G-factor with an other type of glass?
Copaco helps you! Visit the database on our website.

Discover our latest collections on
www.copaco.be



INSECTSCREEN

Bellavista



block

block sunlight & insects

Sample





INSECTSCREEN

Xtra Screen



block

block sunlight & insects

Sample



INSECTSCREEN




block

block sunlight & insects

Bellavista

Colours & references



Bellavista

black

Bellavista				60 cm	70 cm	80 cm	90 cm	100 cm	120 cm	130 cm	140 cm	150 cm	160 cm	170 cm	180 cm	200 cm	220 cm	240 cm	260 cm	280 cm
	colour	density	length																	
Stiff	black	20x20	30 lm		•	•	•	•		•				•					•	
			90 lm		•	•	•	•		•				•					•	

Free use of our database

Free sample material → ask for it now!

Discover our latest collections on
www.copaco.be

INSECTSCREEN

Bellavista



block

block sunlight & insects

Technical specifications

TECHNICAL SPECIFICATION	UNITY	RESULT
composition		Glassfibre 38% - PVC 62%
weight	g/m ²	ca. 83 g +/-5%
thickness	mm	ca. 0,25mm
density yarn	yarn/inch	warp + weft 20x20 - 7,8 yarns/cm
roll length	lm	30 lm - 90 lm
roll width	cm	70 - 80 - 90 - 100 - 130 - 160 - 260
colours		black

These properties are given as indicative and don't have any contractual value



Need a calculation of the G-factor with an other type of glass?
Copaco helps you! Visit the database on our website.

Discover our latest collections on
www.copaco.be

INSECTSCREEN



block

block sunlight & insects


Xtra Screen

Colours & references



Xtra Screen

grey



Xtra Screen

black



Xtra Screen

antracite

Xtra Screen		120 cm	160 cm	180 cm
colour	length			
grey	50 lm	•	•	
black	50 lm	•	•	
antracite	50 lm	•		•

Free use of our database

Free sample material → ask for it now!

Discover our latest collections on
www.copaco.be

INSECTSCREEN



block

block sunlight & insects

Xtra Screen

Technical specifications

TECHNICAL SPECIFICATION	UNITY	RESULT
composition		polyester PVC coated
weight	g/m ²	ca. 390 g ± 10% Polyester 36% - PVC 64%
roll length		50 m
cleaning		with soapy water
confection		by heat, high frequency or ultrasonic welding

These properties are given as indicative and don't have any contractual value



Need a calculation of the G-factor with an other type of glass?
Copaco helps you! Visit the database on our website.

Discover our latest collections on
www.copaco.be

←out



reflect
sunlight
outdoors

v:si



visual
comfort

cult



latest
trends &
designs

c°ool



thermal
comfort

block



block
sunlight &
insects

metal*



reflects
sunlight

eco



ecological
sunscreens



Copaco • Rijksweg 125 • 8531 Bavikhove • Belgium • T +32 (0)56 35 35 33 • F +32 (0)56 35 80 48

Discover our latest collections on
www.copaco.be