

**Energetisch- en lichttechnische eigenschappen**  
**European Standard EN14501**



Glazing A = clear single glazing 4 mm

Glazing B = clear double glazing (4/12/4), space filled with air

Glazing C = double glazing (4/16/4), with a low emissivity coating in position 3, space filled with argon

Glazing D = reflective double glazing (4/16/4), with a low emissivity coating in position 2, space filled with argon

			Classes			
			visual comfort			
		FRONT - BACK				
code	colour		glare control	privacy night	visual contact with the outside	daylight utilisation
Serge100/001001	grey - grey	front	3	2	2	0
		back	3	2	2	0
Serge100/002002	white white	front	1	2	1	2
		back	1	2	1	2
Serge100/003003	sand - sand	front	3	2	2	0
		back	3	2	2	0
Serge100/007007	pearl grey - pearl grey	front	3	2	2	0
		back	3	2	2	0
Serge100/008008	linen - linen	front	2	2	2	1
		back	2	2	2	1
Serge100/010010	charcoal - charcoal	front	3	2	2	0
		back	3	2	2	0
Serge100/011011	bronze - bronze	front	3	2	2	0
		back	3	2	2	0
Serge100/001010	grey - charcoal	front	3	2	2	0
		back	3	2	2	0
Serge100/001002	grey - white	front	3	2	2	0
		back	3	2	2	0
Serge100/002007	white - pearl	front	2	2	2	1
		back	2	2	2	1