

HyActiveScreen

geeignet als:







Rollos

Vertikaljalousien 127 mm

Flächenvorhänge

| Stoff- nummer | Farbe | Lichttrans- mission | ÖF | gtot ^e | Fc-Wert |
|------------------|------------|------------------------|-----|-------------------|---------|
| 9000 | schneeweiß | 13 % | 3 % | 0,34 | 0,66 |
| 9001 | schaum | 10 % | 3 % | 0,34 | 0,68 |
| 9002 | quarz | 13 % | 3 % | 0,35 | 0,68 |
| 9003 | sandbeige | 10 % | 3 % | 0,37 | 0,71 |
| 9004 | grau | 5 % | 3 % | 0,39 | 0,73 |
| 9005 | hellgrau | 9 % | 3 % | 0,37 | 0,71 |
| 9006 | alu | 7 % | 3 % | 0,37 | 0,71 |
| 9007 | anthrazit | 4 % | 3 % | 0,40 | 0,75 |

g = 0,59, U=1,2



antibakteriell / antiviral (> 99,9 % der Viren / Bakterien werden eliminiert)



für PC-Arbeitsplätze geeignet (farbabhängig)



schwer entflammbar nach DIN 4102 B1



feucht abwischbar



bedruckbar



290 g/m²